

Reminiscent Roller Shades

Black Out FEATURES & BENEFITS

- 4 ply vinyl material - the “GO TO” opening price point material in the roller shade market
- Flame Retardant - Energy Saver
- 100% Blackout
- 3 ply vinyl + 1 ply fiberglass
- 72” Wide material
- 12.5 Oz/Sq Yard
- 11 colors available
- 5 lift systems available for pricing options
 - Cordless spring motor with sturdy convolute paper tubes (greater than 72”x72”: aluminum tubes used)
 - AccuLift
 - Continuous cord loop (CCO) with 1” steel tubes and clear plastic beaded chain or optional metal chain
 - Motorized/Motorwand (wand connects to re-chargeable in-tube motor)
 - Motorized
- Upgrade options available: cassette valance, reverse roll

SPECIFICATIONS

Lift Options:

Cordless Spring Motor	Acculift w/ Fabric Insert Cassette	CCO	Motorized Motorwand	Motorized No Cassette/ Open Roll	Motorized w/ Fabric Insert Cassette
convolute paper tube*	aluminum tube	1” steel tube plastic beaded chain	aluminum tube	aluminum tube	aluminum tube

Minimum & Maximum Widths & Lengths:

	min	max	min	max	min	max	min	max
Width	14”W	84”W	24”W	72”W	14”W	103”W	20”W	96”W
Length	12”L	84”L	24”L	72”L	12”L	120”L	18”L	120”L

<ul style="list-style-type: none"> • Cassette valance unavailable • 15” - 72” W: fabric cut up the roll • Over 72”W: fabric cut width for length • *greater than 72”W x 72”L: aluminum tube used 	<ul style="list-style-type: none"> • Must be ordered with cassette valance with fabric insert 	<ul style="list-style-type: none"> • CCO must be used on larger sizes due to lift weight • With clear plastic beaded chain 	<ul style="list-style-type: none"> • Motorwand available in 5 lengths: 1 ft (12”), 2 ft (24”), 3 ft (36”), 4 ft (48”), 5 ft (60”) • With white wand - select wand position: R or L
--	--	--	--

Shades over 73”W & 60”L will be seamed

Cassette Valance Dimensions:

Depth	N/A	3 1/2” deep
Height	N/A	3” high

Minimum Depth Requirements (for mounting brackets):

	open roll/no cassette	Acculift	with cassette valance
Inside Mount	2 1/4”	5/8”	5/8”
Inside Flush Mount	3”	3 1/2”	3 1/2”
Outside Mount	0”	0”	0”

* Note: Minimum depth for flush inside mount of standard roller shades (i.e. without a cassette valance) varies with each fabric thickness and depends on how far the shade is raised. The measurement listed is the maximum depth, fully raised, made of the thickest fabric.

Standard Factory Deductions

	open roll/no cassette	Acculift	with cassette valance
Inside Mount	1/8”	1/8”	1/8”
Outside Mount	0”	0”	0”

Light Gap

pin end	7/16”	N/A	7/16”	5/8”
motor/chain end	9/16”	N/A	9/16”	3/4”
cassette pin end	N/A	5/8”	1/2”	5/8”
cassette motor/chain end	N/A	3/4”	5/8”	3/4”

Chain Loop Lengths

Shade Length	Chain Loop Drop Length	Chain Loop Drop Length
Up to 36” L	2’	24”
36 1/8” L-54” L	3’	36”
54 1/8” L-72” L	4’	48”
72 1/8” L-90” L	5’	60”
90 1/8” L-120” L	6’	72”

Motorwand Lengths

Shade MIN	Shade MAX	Wand Length
20”L	40”L	12”
40 1/8”L	52”L	24”
52 1/8”L	64”L	36”
64 1/8”L	76”L	48”
76 1/8”L	120”L	60”

BRACKETS

- Roller shades without cassette valance: brackets can be mounted to the top, side or rear.
- Roller shades with cassette valance: concealed brackets for the cassette valance can be mounted to the top or rear only.
- CCO bracket can be top mounted & back mounted.

Fabric/Component Color Coordination

Vinyl + Fabric	External Hem Bar	Cassette Valance & End Caps	Premium Clutch Indoor & Outdoor
Reminiscent (3 ply vinyl/1 ply fiberglass)			
White	N/A	white	white
Cream	N/A	vanilla	white
Beige	N/A	vanilla	white
Birch	N/A	vanilla	white
Dune	N/A	vanilla	white
Doe	N/A	chocolate	black
Grey	N/A	silver	white
Shadow	N/A	silver	white
Hunter	N/A	black	black
Navy	N/A	black	black
Black	N/A	black	black

Serena/Daybreak Roller Shades

Light Filtering/Room Darkening

FEATURES & BENEFITS

- Opening price point fabric roller shade
- 100% polyester with 1 pass acrylic thermal flock foam
- Light filtering
- White to street
- Option for reverse roll, so white backing does not show at top of shade
- Light colors are very light filtering while deeper tones become more room darkening
- 9 colors available:
 Light Filtering: True White, White, Ivory, Ice Blue
 Room Darkening: Dove, Moss, Charcoal, Red Velvet, Chocolate
- 5 lift systems available for pricing options
 - Cordless spring motor with sturdy convolute paper tubes (greater than 72"x72": aluminum tubes used)
 - AccuLift
 - Continuous cord loop (CCO) with 1" steel tubes and clear plastic beaded chain or optional metal chain
 - Motorized/Motorwand (wand connects to re-chargeable in-tube motor)
 - Motorized
- Upgrade options available: cassette valance, external bottom hem bar, reverse roll

SPECIFICATIONS

Lift Options:

Cordless Spring Motor	Acculift w/ Fabric Insert Cassette	CCO	Motorized Motorwand	Motorized No Cassette/ Open Roll	Motorized w/ Fabric Insert Cassette
convolute paper tube*	aluminum tube	1" steel tube plastic beaded chain	aluminum tube	aluminum tube	aluminum tube

Minimum & Maximum Widths & Lengths:

	min	max	min	max	min	max	min	max
Width	14"W	84"W	24"W	72"W	14"W	103"W	20"W	96"W
Length	12"L	84"L	24"L	72"L	12"L	120"L	18"L	120"L

<ul style="list-style-type: none"> • Cassette valance unavailable • 15" - 72" W: fabric cut up the roll • Over 72"W: fabric cut width for length • *greater than 72"W x 72"L: aluminum tube used 	<ul style="list-style-type: none"> • Must be ordered with cassette valance with fabric insert 	<ul style="list-style-type: none"> • CCO must be used on larger sizes due to lift weight • With clear plastic beaded chain 	<ul style="list-style-type: none"> • Motorwand available in 5 lengths: 1 ft (12"), 2 ft (24"), 3 ft (36"), 4 ft (48"), 5 ft (60") • With white wand - select wand position: R or L
--	--	--	--

Shades over 73"W & 60"L will be seamed

Cassette Valance Dimensions:

Depth	N/A	3 1/2" deep
Height	N/A	3" high

Minimum Depth Requirements (for mounting brackets):

	open roll/no cassette	Acculift	with cassette valance
Inside Mount	2 1/4"	5/8"	5/8"
Inside Flush Mount	3"	3 1/2"	3 1/2"
Outside Mount	0"	0"	0"

* Note: Minimum depth for flush inside mount of standard roller shades (i.e. without a cassette valance) varies with each fabric thickness and depends on how far the shade is raised. The measurement listed is the maximum depth, fully raised, made of the thickest fabric.

Standard Factory Deductions

	open roll/no cassette	Acculift	with cassette valance
Inside Mount	1/8"	1/8"	1/8"
Outside Mount	0"	0"	0"

Light Gap

	open roll/no cassette	Acculift	with cassette valance
pin end	7/16"	N/A	5/8"
motor/chain end	9/16"	N/A	3/4"
cassette pin end	N/A	5/8"	5/8"
cassette motor/chain end	N/A	3/4"	3/4"

Chain Loop Lengths			Motorwand Lengths		
Shade Length	Chain Loop Drop Length	Chain Loop Drop Length	Shade MIN	Shade MAX	Wand Length
Up to 36" L	2'	24"	20"L	40"L	12"
36 1/8" L - 54" L	3'	36"	40 1/8"L	52"L	24"
54 1/8" L - 72" L	4'	48"	52 1/8"L	64"L	36"
72 1/8" L - 90" L	5'	60"	64 1/8"L	76"L	48"
90 1/8" L - 120" L	6'	72"	76 1/8"L	120"L	60"

BRACKETS

- Roller shades without cassette valance: brackets can be mounted to the top, side or rear.
- Roller shades with cassette valance: concealed brackets for the cassette valance can be mounted to the top or rear only.
- CCO bracket can be top mounted & back mounted.

Fabric/Component Color Coordination

Vinyl + Fabric	External Hem Bar	Cassette Valance & End Caps	Premium Clutch Indoor & Outdoor
Serena/Daybreak (polyester)			
True White	white	white	white
White	white	white	white
Ivory	vanilla	vanilla	white
Dove	vanilla	vanilla	white
Moss	silver	silver	white
Ice Blue	silver	silver	white
Charcoal	black	black	black
Red Velvet	black	black	black
Chocolate	chocolate	chocolate	black

Splendor Roller Shades

Light Filtering FEATURES & BENEFITS

- Fine woven polyester fabric with a crisp, modern look
- 100% polyester
- Light filtering
- 94" Wide material
- 6.3 Oz/Sq Yard
- Odor Free - non-toxic
- 7 colors available
- 5 lift systems available for pricing options
 - Cordless spring motor with sturdy convolute paper tubes (greater than 72"x72": aluminum tubes used)
 - AccuLift
 - Continuous cord loop (CCO) with 1" steel tubes and clear plastic beaded chain or optional metal chain
 - Motorized/Motorwand (wand connects to re-chargeable in-tube motor)
 - Motorized
- Upgrade options available: cassette valance, external bottom hem bar, reverse roll

SPECIFICATIONS

Lift Options:

Cordless Spring Motor	Acculift w/ Fabric Insert Cassette	CCO	Motorized Motorwand	Motorized No Cassette/ Open Roll	Motorized w/ Fabric Insert Cassette
convolute paper tube*	aluminum tube	1" steel tube plastic beaded chain	aluminum tube	aluminum tube	aluminum tube

Minimum & Maximum Widths & Lengths:

	min	max	min	max	min	max	min	max
Width	14"W	84"W	24"W	72"W	14"W	103"W	20"W	96"W
Length	12"L	84"L	24"L	72"L	12"L	120"L	18"L	120"L

- Cassette valance unavailable
- 15" - 72" W: fabric cut up the roll
- Over 72"W: fabric cut width for length
- *greater than 72"W x 72"L: aluminum tube used
- Must be ordered with cassette valance with fabric insert
- CCO must be used on larger sizes due to lift weight
- With clear plastic beaded chain
- Motorwand available in 5 lengths: 1 ft (12"), 2 ft (24"), 3 ft (36"), 4 ft (48"), 5 ft (60")
- With white wand - select wand position: R or L

Shades over 94"W & 82"L will be seamed

Cassette Valance Dimensions:

Depth	N/A	3 1/2" deep
Height	N/A	3" high

Minimum Depth Requirements (for mounting brackets):

	open roll/no cassette	Acculift	with cassette valance
Inside Mount	2 3/8"	5/8"	5/8"
Inside Flush Mount	3"	3 1/2"	3 1/2"
Outside Mount	0"	0"	0"

* Note: Minimum depth for flush inside mount of standard roller shades (i.e. without a cassette valance) varies with each fabric thickness and depends on how far the shade is raised. The measurement listed is the maximum depth, fully raised, made of the thickest fabric.

Standard Factory Deductions

	open roll/no cassette	Acculift	with cassette valance
Inside Mount	1/8"	1/8"	1/8"
Outside Mount	0"	0"	0"

Light Gap

	open roll/no cassette	Acculift	with cassette valance
pin end	7/16"	N/A	7/16"
motor/chain end	9/16"	N/A	9/16"
cassette pin end	N/A	5/8"	1/2"
cassette motor/chain end	N/A	3/4"	5/8"

Chain Loop Lengths

Shade Length	Chain Loop Drop Length	Chain Loop Drop Length
Up to 36" L	2'	24"
36 1/8" L - 54" L	3'	36"
54 1/8" L - 72" L	4'	48"
72 1/8" L - 90" L	5'	60"
90 1/8" L - 120" L	6'	72"

Motorwand Lengths

Shade MIN	Shade MAX	Wand Length
20"L	40"L	12"
40 1/8"L	52"L	24"
52 1/8"L	64"L	36"
64 1/8"L	76"L	48"
76 1/8"L	120"L	60"

BRACKETS

- Roller shades without cassette valance: brackets can be mounted to the top, side or rear.
- Roller shades with cassette valance: concealed brackets for the cassette valance can be mounted to the top or rear only.
- CCO bracket can be top mounted & back mounted.

Fabric/Component Color Coordination

Vinyl + Fabric	External Hem Bar	Cassette Valance & End Caps	Premium Clutch Indoor & Outdoor
Splendor (polyester)			
White	white	white	white
Ivory	vanilla	vanilla	white
Dk. Linen	vanilla	vanilla	white
Silver	silver	silver	white
Grey	silver	silver	white
Blue Ash	silver	silver	white
Black	black	black	black

Splendor Roller Shades

Black Out FEATURES & BENEFITS

- Fine woven polyester fabric with a crisp, modern look
- 100% polyester with acrylic backing
- Black out
- 94" Wide material
- 10.65 Oz/Sq Yard
- Odor Free - non-toxic
- 7 colors available
- 5 lift systems available for pricing options
 - Cordless spring motor with sturdy convolute paper tubes (greater than 72"x72": aluminum tubes used)
 - AccuLift
 - Continuous cord loop (CCO) with 1" steel tubes and clear plastic beaded chain or optional metal chain
 - Motorized/Motorwand (wand connects to re-chargeable in-tube motor)
 - Motorized
- Upgrade options available: cassette valance, external bottom hem bar, reverse roll

SPECIFICATIONS

Lift Options:

Cordless Spring Motor	Acculift w/ Fabric Insert Cassette	CCO	Motorized Motorwand	Motorized No Cassette/ Open Roll	Motorized w/ Fabric Insert Cassette
convolute paper tube*	aluminum tube	1" steel tube plastic beaded chain	aluminum tube	aluminum tube	aluminum tube

Minimum & Maximum Widths & Lengths:

	min	max	min	max	min	max	min	max
Width	14"W	84"W	24"W	72"W	14"W	103"W	20"W	96"W
Length	12"L	84"L	24"L	72"L	12"L	120"L	18"L	120"L

- Cassette valance unavailable
- 15" - 72" W: fabric cut up the roll
- Over 72"W: fabric cut width for length
- *greater than 72"W x 72"L: aluminum tube used
- Must be ordered with cassette valance with fabric insert
- CCO must be used on larger sizes due to lift weight
- With clear plastic beaded chain
- Motorwand available in 5 lengths: 1 ft (12"), 2 ft (24"), 3 ft (36"), 4 ft (48"), 5 ft (60")
- With white wand - select wand position: R or L

Shades over 94"W & 82"L will be seamed

Cassette Valance Dimensions:

Depth	N/A	3 1/2" deep
Height	N/A	3" high

Minimum Depth Requirements (for mounting brackets):

	open roll/no cassette	Acculift	with cassette valance
Inside Mount	2 3/8"	5/8"	5/8"
Inside Flush Mount	3"	3 1/2"	3 1/2"
Outside Mount	0"	0"	0"

* Note: Minimum depth for flush inside mount of standard roller shades (i.e. without a cassette valance) varies with each fabric thickness and depends on how far the shade is raised. The measurement listed is the maximum depth, fully raised, made of the thickest fabric.

Standard Factory Deductions

	open roll/no cassette	Acculift	with cassette valance
Inside Mount	1/8"	1/8"	1/8"
Outside Mount	0"	0"	0"

Light Gap

	open roll/no cassette	Acculift	with cassette valance
pin end	7/16"	N/A	7/16"
motor/chain end	9/16"	N/A	9/16"
cassette pin end	N/A	5/8"	1/2"
cassette motor/chain end	N/A	3/4"	5/8"

Chain Loop Lengths

Shade Length	Chain Loop Drop Length	Chain Loop Drop Length
Up to 36" L	2'	24"
36 1/8" L - 54" L	3'	36"
54 1/8" L - 72" L	4'	48"
72 1/8" L - 90" L	5'	60"
90 1/8" L - 120" L	6'	72"

Motorwand Lengths

Shade MIN	Shade MAX	Wand Length
20"L	40"L	12"
40 1/8"L	52"L	24"
52 1/8"L	64"L	36"
64 1/8"L	76"L	48"
76 1/8"L	120"L	60"

BRACKETS

- Roller shades without cassette valance: brackets can be mounted to the top, side or rear.
- Roller shades with cassette valance: concealed brackets for the cassette valance can be mounted to the top or rear only.
- CCO bracket can be top mounted & back mounted.

Fabric/Component Color Coordination

Vinyl + Fabric	External Hem Bar	Cassette Valance & End Caps	Premium Clutch Indoor & Outdoor
Splendor (polyester)			
White	white	white	white
Ivory	vanilla	vanilla	white
Dk. Linen	vanilla	vanilla	white
Silver	silver	silver	white
Grey	silver	silver	white
Blue Ash	silver	silver	white
Black	black	black	black

Eclipse/Nightfall Roller Shades

Black Out

FEATURES & BENEFITS

- The best black out roller shade
- 100% polyester flocked acrylic with 3 pass black out foam backing
- 100% black out
- Hefty but soft to the touch
- Sound absorbing
- White to street
- Option for reverse roll, so white backing does not show at top of shade
- 7 colors available
- 5 lift systems available for pricing options
 - Cordless spring motor with sturdy convolute paper tubes (greater than 72"x72": aluminum tubes used)
 - AccuLift
 - Continuous cord loop (CCO) with 1" steel tubes and clear plastic beaded chain or optional metal chain
 - Motorized/Motorwand (wand connects to re-chargeable in-tube motor)
 - Motorized
- Upgrade options available: cassette valance, external bottom hem bar, reverse roll

SPECIFICATIONS

Lift Options:

Cordless Spring Motor	Acculift w/ Fabric Insert Cassette	CCO	Motorized Motorwand	Motorized No Cassette/ Open Roll	Motorized w/ Fabric Insert Cassette
convolute paper tube*	aluminum tube	1" steel tube plastic beaded chain	aluminum tube	aluminum tube	aluminum tube

Minimum & Maximum Widths & Lengths:

	min	max	min	max	min	max	min	max
Width	15"W	84"W	24"W	72"W	15"W	103"W	20"W	96"W
Length	24"L	84"L	24"L	72"L	24"L	120"L	24"L	120"L

<ul style="list-style-type: none"> • Cassette valance unavailable • 15" - 72" W: fabric cut up the roll • Over 72"W: fabric cut width for length • *greater than 72"W x 72"L: aluminum tube used 	<ul style="list-style-type: none"> • Must be ordered with cassette valance with fabric insert 	<ul style="list-style-type: none"> • CCO must be used on larger sizes due to lift weight • Width over 94" will be rail-roaded & cannot exceed 84" L • With clear plastic beaded chain 	<ul style="list-style-type: none"> • Motorwand available in 5 lengths: 1 ft (12"), 2 ft (24"), 3 ft (36"), 4 ft (48"), 5 ft (60") • With white wand - select wand position: R or L
--	--	--	--

Shades over 94"W & 82"L will be seamed

Cassette Valance Dimensions:

Depth	N/A	3 1/2" deep
Height	N/A	3" high

Minimum Depth Requirements (for mounting brackets):

	open roll/no cassette	Acculift	with cassette valance
Inside Mount	2 3/8"	5/8"	5/8"
Inside Flush Mount	3"	3 1/2"	3 1/2"
Outside Mount	0"	0"	0"

* Note: Minimum depth for flush inside mount of standard roller shades (i.e. without a cassette valance) varies with each fabric thickness and depends on how far the shade is raised. The measurement listed is the maximum depth, fully raised, made of the thickest fabric.

Standard Factory Deductions

	open roll/no cassette	Acculift	with cassette valance
Inside Mount	1/8"	1/8"	1/8"
Outside Mount	0"	0"	0"

Light Gap

pin end	7/16"	N/A	7/16"	5/8"
motor/chain end	9/16"	N/A	9/16"	3/4"
cassette pin end	N/A	5/8"	1/2"	5/8"
cassette motor/chain end	N/A	3/4"	5/8"	3/4"

Chain Loop Lengths

Shade Length	Chain Loop Drop Length	Chain Loop Drop Length
Up to 36" L	2'	24"
36 1/8" L - 54" L	3'	36"
54 1/8" L - 72" L	4'	48"
72 1/8" L - 90" L	5'	60"
90 1/8" L - 120" L	6'	72"

Motorwand Lengths

Shade MIN	Shade MAX	Wand Length
20"L	40"L	12"
40 1/8"L	52"L	24"
52 1/8"L	64"L	36"
64 1/8"L	76"L	48"
76 1/8"L	120"L	60"

BRACKETS

- Roller shades without cassette valance: brackets can be mounted to the top, side or rear.
- Roller shades with cassette valance: concealed brackets for the cassette valance can be mounted to the top or rear only.
- CCO bracket can be top mounted & back mounted.

Fabric/Component Color Coordination

Vinyl + Fabric	External Hem Bar	Cassette Valance & End Caps	Premium Clutch Indoor & Outdoor
Eclipse/Nightfall (polyester)			
Optic White	white	white	white
White	white	white	white
Natural	vanilla	vanilla	white
Greige	silver	silver	white
Silver	silver	silver	white
Slate	silver	silver	black
Coal	black	black	black

Ripple Texture Roller Shades

FEATURES & BENEFITS

- Ripple Texture is an all around best-selling fabric with dimensional texture and color effect
- Choose from 3 colorways in 2 opacity choices - light filtering & blackout:
 - 3 light filtering colors gently diffuse light and take on a warm glow
 - 3 blackout colors effectively block light and stay true to color
- The moderate priced components make for high perceived value in better price roller shades
- 5 lift systems available for pricing options
 - Cordless spring motor with sturdy convolute paper tubes (greater than 72"x72": aluminum tubes used)
 - AccuLift
 - Continuous cord loop (CCO) with 1" steel tubes and clear plastic beaded chain or optional metal chain
 - Motorized/Motorwand (wand connects to re-chargeable in-tube motor)
 - Motorized
- Fabric cut up the roll
- Easy to install - all hardware included

SPECIFICATIONS

Lift Options:

Cordless Spring Motor	Acculift w/ Fabric Insert Cassette	CCO	Motorized Motorwand	Motorized No Cassette/ Open Roll	Motorized w/ Fabric Insert Cassette
convolute paper tube*	aluminum tube	1" steel tube plastic beaded chain	aluminum tube	aluminum tube	aluminum tube

Minimum & Maximum Widths & Lengths:

	min	max	min	max	min	max	min	max
Width	15"W	84"W	24"W	72"W	15"W	103"W	20"W	96"W
Length	24"L	84"L	24"L	72"L	24"L	120"L	24"L	120"L

<ul style="list-style-type: none"> • Cassette valance unavailable • 15" - 72" W: fabric cut up the roll • Over 72"W: fabric cut width for length • *greater than 72"W x 72"L: aluminum tube used 	<ul style="list-style-type: none"> • Must be ordered with cassette valance with fabric insert 	<ul style="list-style-type: none"> • CCO must be used on larger sizes due to lift weight • Width over 94" will be rail-roaded & cannot exceed 84" L • With clear plastic beaded chain 	<ul style="list-style-type: none"> • Motorwand available in 5 lengths: 1 ft (12"), 2 ft (24"), 3 ft (36"), 4 ft (48"), 5 ft (60") • With white wand - select wand position: R or L
--	--	--	--

Shades over 94"W & 82"L will be seamed

Cassette Valance Dimensions:

Depth	N/A	3 1/2" deep
Height	N/A	3" high

Minimum Depth Requirements (for mounting brackets):

	open roll/no cassette	Acculift	with cassette valance
Inside Mount	2 3/8"	5/8"	5/8"
Inside Flush Mount	3"	3 1/2"	3 1/2"
Outside Mount	0"	0"	0"

* Note: Minimum depth for flush inside mount of standard roller shades (i.e. without a cassette valance) varies with each fabric thickness and depends on how far the shade is raised. The measurement listed is the maximum depth, fully raised, made of the thickest fabric.

Standard Factory Deductions

	open roll/no cassette	Acculift	with cassette valance
Inside Mount	1/8"	1/8"	1/8"
Outside Mount	0"	0"	0"

Light Gap

pin end	7/16"	N/A	7/16"	5/8"
motor/chain end	9/16"	N/A	9/16"	3/4"
cassette pin end	N/A	5/8"	1/2"	5/8"
cassette motor/chain end	N/A	3/4"	5/8"	3/4"

Chain Loop Lengths			Motorwand Lengths		
Shade Length	Chain Loop Drop Length	Chain Loop Drop Length	Shade MIN	Shade MAX	Wand Length
Up to 36" L	2'	24"	20"L	40"L	12"
36 1/8" L - 54" L	3'	36"	40 1/8"L	52"L	24"
54 1/8" L - 72" L	4'	48"	52 1/8"L	64"L	36"
72 1/8" L - 90" L	5'	60"	64 1/8"L	76"L	48"
90 1/8" L - 120" L	6'	72"	76 1/8"L	120"L	60"

BRACKETS

- Roller shades without cassette valance: brackets can be mounted to the top, side or rear.
- Roller shades with cassette valance: concealed brackets for the cassette valance can be mounted to the top or rear only.
- CCO bracket can be top mounted & back mounted.

Fabric/Component Color Coordination

Ripple Texture	External Hem Bar	Cassette Valance & End Caps	Premium Clutch Indoor & Outdoor
Light Filtering			
Grey	silver	silver	white
Tan	vanilla	vanilla	white
White	white	white	white
Black Out			
Grey	silver	silver	white
Tan	vanilla	vanilla	white
White	white	white	white

Solar Roller Shades

FEATURES & BENEFITS

- Solar Shades help provide a comfortable, energy efficient home environment
- Select your fabric:
 - Solar Tabby 1% openness
 - Solar Tabby 3% openness
 - Solar Tabby 5% openness, Flaxen Solar Mesh 5% openness - like-linen texture
 - Solar Tabby 10% openness
 - Solar Leno 14% openness
- Sunscreen material blocks 80% to 96% of UV rays while maintaining natural light and view
- Flame Retardant - Energy Saver
- Fragrance free, non-toxic
- Helps prevent fading of carpet, upholstery and wallpaper - reduces glare, yet, enables you to see clearly through the shade
- Reduces heat gain from intense sunlight
- Offers privacy and light control
- Adds contemporary styling to a room
- 5 lift systems available for pricing options
 - Cordless spring motor with sturdy convolute paper tubes (greater than 72"x72": aluminum tubes used)
 - AccuLift
 - Continuous cord loop (CCO) with 1" steel tubes and clear plastic beaded chain or optional metal chain
 - Motorized/Motorwand (wand connects to re-chargeable in-tube motor)
 - Motorized
- Upgrade options available: cassette valance, external bottom hem bar, reverse roll
- Easy to install - all hardware included

SPECIFICATIONS

Lift Options:

Cordless Spring Motor	Acculift w/ Fabric Insert Cassette	CCO	Motorized Motorwand	Motorized No Cassette/ Open Roll	Motorized w/ Fabric Insert Cassette
aluminum tube	aluminum tube	1" steel tube plastic beaded chain	aluminum tube	aluminum tube	aluminum tube

Minimum & Maximum Widths & Lengths:

	min	max	min	max	min	max	min	max
Width	15"W	84"W	24"W	84"W	15"W	103"W	20"W	96"W
Length	24"L	84"L	24"L	84"L	24"L	120"L	24"L	120"L

• Must be ordered with cassette valance with fabric insert

• CCO must be used on larger sizes due to lift weight
 • With clear plastic beaded chain
 • Option for L or R cord position
 • Width over 94" will be rail roaded & cannot exceed 84" L

• Motorwand available in 5 lengths: 1 ft (12"), 2 ft (24"), 3 ft (36"), 4 ft (48"), 5 ft (60")

• With white wand - select wand position: R or L

Cassette Valance Dimensions:

Depth	N/A	3 1/2" deep
Height	N/A	3" high

Minimum Depth Requirements (for mounting brackets):

	open roll/no cassette	Acculift	with cassette valance
Inside Mount	2 1/2"	5/8"	5/8"
Inside Flush Mount	3"	3 1/2"	3 1/2"
Outside Mount	0"	0"	0"

* Note: Minimum depth for flush inside mount of standard roller shades (i.e. without a cassette valance) varies with each fabric thickness and depends on how far the shade is raised. The measurement listed is the maximum depth, fully raised, made of the thickest fabric.

Standard Factory Deductions

	Acculift	with cassette valance
Inside Mount	1/8"	1/8"
Outside Mount	0"	0"

Light Gap

	Acculift	with cassette valance
pin end	7/16"	N/A
motor/chain end	9/16"	N/A
cassette pin end	9/16"	5/8"
cassette motor/chain end	11/16"	3/4"

Chain Loop Lengths

Shade Length	Chain Loop Drop Length	Chain Loop Drop Length
Up to 36" L	2'	24"
36 1/8" L - 54" L	3'	36"
54 1/8" L - 72" L	4'	48"
72 1/8" L - 90" L	5'	60"
90 1/8" L - 120" L	6'	72"

Motorwand Lengths

Shade MIN	Shade MAX	Wand Length
20"L	40"L	12"
40 1/8"L	52"L	24"
52 1/8"L	64"L	36"
64 1/8"L	76"L	48"
76 1/8"L	120"L	60"

BRACKETS

- Roller shades without cassette valance: brackets can be mounted to the top, side or rear.
- Roller shades with cassette valance: concealed brackets for the cassette valance can be mounted to the top or rear only.
- CCO bracket can be top mounted & back mounted.

Fabric/Component Color Coordination			
	External Hem Bar	Cassette Valance & End Caps	Premium Clutch Indoor & Outdoor
14% Openness Leno			
White	white	white	white
White Linen	white	white	white
Linen	vanilla	vanilla	white
Ivory White	vanilla	vanilla	white
Silver	silver	silver	white
Charcoal	black	black	black
10% Openness Tabby			
White	white	white	white
Ivory	vanilla	vanilla	white
Silver	silver	silver	white
Ecu	vanilla	vanilla	white
Chocolate	chocolate	chocolate	black
Charcoal	black	black	black
5% Openness Tabby			
White	white	white	white
Ivory	vanilla	vanilla	white
Silver	silver	silver	white
Ecu	vanilla	vanilla	white
Taupe	silver	silver	white
Ebony Pearl	black	black	black
Chocolate	chocolate	chocolate	black
Charcoal	black	black	black
Flaxen-natural	white	white	white
Flaxen-sand	vanilla	vanilla	white
Flaxen-driftwood	silver	silver	white
Flaxen-greige	silver	silver	white
3% Openness Tabby			
White	white	white	white
Ivory	vanilla	vanilla	white
Silver	silver	silver	white
Ecu	vanilla	vanilla	white
Taupe	silver	silver	white
Ebony Pearl	black	black	black
Chocolate	chocolate	chocolate	black
Charcoal	black	black	black
1% Openness Tabby			
White	white	white	white
Ivory	vanilla	vanilla	white
Silver	silver	silver	white
Ecu	vanilla	vanilla	white
Ebony Pearl	black	black	black
Chocolate	chocolate	chocolate	black
Charcoal	black	black	black